

Food-Grade Anti-Seize

PRODUCT DESCRIPTION:

JAX Food-Grade Anti-Seize is a premium quality, food-grade, non-drying thread conditioner and anti-seize compound formulated with a balanced blend of PTFE and other lubricating solids, homogenized into a high melt grease carrier. JAX Food-Grade Anti-Seize meets the requirements of USDA H1 food-grade lubricants, and is acceptable in food, beverage and pharmaceutical applications where incidental food contact is possible.

PRODUCT BENEFITS:

JAX Food-Grade Anti-Seize has been engineered to provide a superior leak-proof seal for the life of the connection while maintaining its anti-seize and anti-corrosion capabilities. This allows for easy disassembly without the concern for thread and fastener damage. The JAX unique formulation is very resistant to high-pressure, high-temperature washdown common to the food- and beverage-processing industries.

APPLICATION:

JAX Food-Grade Anti-Seize is a dependable, quality sealant for threaded connections on lines carrying a variety of liquids and gases, including water, natural gas, LPG, beer, wine, juice, carbon dioxide, soups, dressings, vegetable washes, etc. JAX Food Grade Anti-Seize provides reliable service on brass, black iron, galvanized steel, stainless steel, aluminum, copper, PVC and fiberglass-reinforced pipes, tubes and connections.

The base grease in JAX Food-Grade Anti-Seize provides lubrication from 10°F to 450°F (-12°C to 232°C) and is brushable to 15°F (-9°C). The lubricating solids maintain effectiveness up to 600°F (316°C) with excellent load capabilities to 20,000 psi. NLGI Grade 1-1/2. Product features include:

- Non-toxic
- Non-drying
- Lubricates threads
- Forms leak-proof seals
- Meets USDA H1 requirements
- Economical
- Non-melting
- Easy to apply
- Prevents corrosion
- Resists water and steam

TECHNICAL DATA:

Propellant:	N/A
Flash Point:	480° F (248°C), ASTM D 92, typical
Viscosity:	N/A
Texture:	Creamy White Grease with PTFE and Other Particulates
Appearance:	Thick White Grease-like
Consistency:	Heavy

PACKAGING:

8-oz. net weight bottles with brush-top caps (12/case) – Part # JAX134
Pail – Part # 00134-035; Keg – Part # 00134-120



Food-Grade Anti-Seize



NSF International / Nonfood Compounds Registration Program

October 03, 2002

Pressure-Lube, Inc. JAX
Attn: Patty Riek
W134 N5373 Campbell Drive
Menomonee Falls, WI 53051

RE JAX FOOD GRADE ANTI-SEIZE
Category Code: H1
NSF Registration No. 127729

Dear Patty Riek:

NSF has processed the application for Registration of **JAX FOOD GRADE ANTI-SEIZE** to the *NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds (2002)*, which are available at www.nsf.org/usda. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (<http://www.nsf.org/usda>). The NSF Registration Mark can be downloaded from the NSF website, at http://www.nsf.org/mark/download_marks.html.

NSF Listing of all registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF web site, at <http://www.nsf.org/usda>. Changes in formulation or label, without the prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

Carmen Grindatti
NSF Nonfood Compounds Registration and listing program

Distributed By:

PRESSURE-LUBE
America's Finest Lubricants

W134 N5373 Campbell Drive • Menomonee Falls, WI 53051
262.781.8850 • 800.782.8850 • FAX 262.781.3906
www.jax.com