



February 26, 2003

Behnke Lubricants, Inc. JAX
Attn: Patty Riek
W134 N5373 Campbell Drive
Menomonee Falls, WI 53051

RE: JAX FLOW-GUARD SYNTHETIC FLUID ISO 22
Category Code: H1
NSF Registration No. 129240

Dear Patty Riek:

NSF has processed the application for Registration of **JAX FLOW-GUARD SYNTHETIC FLUID ISO 22** to the *NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds (2002)*, which are available at www.nsf.org/usda. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (<http://www.nsf.org/usda>). The NSF Registration Mark can be downloaded from the NSF website, at http://www.nsf.org/mark/download_marks.html.

NSF Listing of all registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF web site, at <http://www.nsf.org/usda>. Changes in formulation or label, without the prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

A handwritten signature in black ink, appearing to read 'Carmen Grindatti'.

Carmen Grindatti
NSF Nonfood Compounds Registration and listing program



February 26, 2003

Behnke Lubricants, Inc. JAX
Attn: Patty Riek
W134 N5373 Campbell Drive
Menomonee Falls, WI 53051

RE: JAX FLOW-GUARD SYNTHETIC FLUID ISO 32
Category Code: H1
NSF Registration No. 129249

Dear Patty Riek:

NSF has processed the application for Registration of **JAX FLOW-GUARD SYNTHETIC FLUID ISO 32** to the *NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds (2002)*, which are available at www.nsf.org/usda. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (<http://www.nsf.org/usda>). The NSF Registration Mark can be downloaded from the NSF website, at http://www.nsf.org/mark/download_marks.html.

NSF Listing of all registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF web site, at <http://www.nsf.org/usda>. Changes in formulation or label, without the prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

A handwritten signature in black ink, appearing to read 'Carmen Grindatti'.

Carmen Grindatti
NSF Nonfood Compounds Registration and listing program



February 26, 2003

Behnke Lubricants, Inc. JAX
Attn: Patty Riek
W134 N5373 Campbell Drive
Menomonee Falls, WI 53051

RE: JAX FLOW-GUARD SYNTHETIC FLUID ISO 46
Category Code: H1
NSF Registration No. 129248

Dear Patty Riek:

NSF has processed the application for Registration of **JAX FLOW-GUARD SYNTHETIC FLUID ISO 46** to the *NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds (2002)*, which are available at www.nsf.org/usda. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (<http://www.nsf.org/usda>). The NSF Registration Mark can be downloaded from the NSF website, at http://www.nsf.org/mark/download_marks.html.

NSF Listing of all registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF web site, at <http://www.nsf.org/usda>. Changes in formulation or label, without the prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

A handwritten signature in black ink, appearing to read 'Carmen Grindatti'.

Carmen Grindatti
NSF Nonfood Compounds Registration and listing program



February 26, 2003

Behnke Lubricants, Inc. JAX
Attn: Patty Riek
W134 N5373 Campbell Drive
Menomonee Falls, WI 53051

RE: JAX FLOW-GUARD SYNTHETIC FLUID ISO 68
Category Code: H1
NSF Registration No. 129241

Dear Patty Riek:

NSF has processed the application for Registration of **JAX FLOW-GUARD SYNTHETIC FLUID ISO 68** to the *NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds (2002)*, which are available at www.nsf.org/usda. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (<http://www.nsf.org/usda>). The NSF Registration Mark can be downloaded from the NSF website, at http://www.nsf.org/mark/download_marks.html.

NSF Listing of all registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF web site, at <http://www.nsf.org/usda>. Changes in formulation or label, without the prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

A handwritten signature in black ink, appearing to read 'Carmen Grindatti'.

Carmen Grindatti
NSF Nonfood Compounds Registration and listing program



February 26, 2003

Behnke Lubricants, Inc. JAX
Attn: Patty Riek
W134 N5373 Campbell Drive
Menomonee Falls, WI 53051

RE: JAX FLOW-GUARD SYNTHETIC FLUID ISO 100
Category Code: H1
NSF Registration No. 129242

Dear Patty Riek:

NSF has processed the application for Registration of **JAX FLOW-GUARD SYNTHETIC FLUID ISO 100** to the *NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds (2002)*, which are available at www.nsf.org/usda. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (<http://www.nsf.org/usda>). The NSF Registration Mark can be downloaded from the NSF website, at http://www.nsf.org/mark/download_marks.html.

NSF Listing of all registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF web site, at <http://www.nsf.org/usda>. Changes in formulation or label, without the prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

A handwritten signature in black ink, appearing to read 'Carmen Grindatti'.

Carmen Grindatti
NSF Nonfood Compounds Registration and listing program



February 26, 2003

Behnke Lubricants, Inc. JAX
Attn: Patty Riek
W134 N5373 Campbell Drive
Menomonee Falls, WI 53051

RE: JAX FLOW-GUARD SYNTHETIC FLUID ISO 150
Category Code: H1
NSF Registration No. 129243

Dear Patty Riek:

NSF has processed the application for Registration of **JAX FLOW-GUARD SYNTHETIC FLUID ISO 150** to the *NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds (2002)*, which are available at www.nsf.org/usda. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (<http://www.nsf.org/usda>). The NSF Registration Mark can be downloaded from the NSF website, at http://www.nsf.org/mark/download_marks.html.

NSF Listing of all registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF web site, at <http://www.nsf.org/usda>. Changes in formulation or label, without the prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

A handwritten signature in black ink, appearing to read 'Carmen Grindatti'.

Carmen Grindatti
NSF Nonfood Compounds Registration and listing program



February 26, 2003

Behnke Lubricants, Inc. JAX
Attn: Patty Riek
W134 N5373 Campbell Drive
Menomonee Falls, WI 53051

RE: JAX FLOW-GUARD SYNTHETIC FLUID ISO 220
Category Code: H1
NSF Registration No. 129247

Dear Patty Riek:

NSF has processed the application for Registration of **JAX FLOW-GUARD SYNTHETIC FLUID ISO 220** to the *NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds (2002)*, which are available at www.nsf.org/usda. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (<http://www.nsf.org/usda>). The NSF Registration Mark can be downloaded from the NSF website, at http://www.nsf.org/mark/download_marks.html.

NSF Listing of all registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF web site, at <http://www.nsf.org/usda>. Changes in formulation or label, without the prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

A handwritten signature in black ink, appearing to read 'Carmen Grindatti'.

Carmen Grindatti
NSF Nonfood Compounds Registration and listing program



February 26, 2003

Behnke Lubricants, Inc. JAX
Attn: Patty Riek
W134 N5373 Campbell Drive
Menomonee Falls, WI 53051

RE: JAX FLOW-GUARD SYNTHETIC FLUID ISO 320
Category Code: H1
NSF Registration No. 129244

Dear Patty Riek:

NSF has processed the application for Registration of **JAX FLOW-GUARD SYNTHETIC FLUID ISO 320** to the *NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds (2002)*, which are available at www.nsf.org/usda. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (<http://www.nsf.org/usda>). The NSF Registration Mark can be downloaded from the NSF website, at http://www.nsf.org/mark/download_marks.html.

NSF Listing of all registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF web site, at <http://www.nsf.org/usda>. Changes in formulation or label, without the prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

A handwritten signature in black ink, appearing to read 'Carmen Grindatti'.

Carmen Grindatti
NSF Nonfood Compounds Registration and listing program



February 26, 2003

Behnke Lubricants, Inc. JAX
Attn: Patty Riek
W134 N5373 Campbell Drive
Menomonee Falls, WI 53051

RE: JAX FLOW-GUARD SYNTHETIC FLUID ISO 460
Category Code: H1
NSF Registration No. 129246

Dear Patty Riek:

NSF has processed the application for Registration of **JAX FLOW-GUARD SYNTHETIC FLUID ISO 460** to the *NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds (2002)*, which are available at www.nsf.org/usda. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (<http://www.nsf.org/usda>). The NSF Registration Mark can be downloaded from the NSF website, at http://www.nsf.org/mark/download_marks.html.

NSF Listing of all registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF web site, at <http://www.nsf.org/usda>. Changes in formulation or label, without the prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

A handwritten signature in black ink, appearing to read 'Carmen Grindatti'.

Carmen Grindatti
NSF Nonfood Compounds Registration and listing program



February 26, 2003

Behnke Lubricants, Inc. JAX
Attn: Patty Riek
W134 N5373 Campbell Drive
Menomonee Falls, WI 53051

RE: JAX FLOW-GUARD SYNTHETIC FLUID ISO 680
Category Code: H1
NSF Registration No. 129245

Dear Patty Riek:

NSF has processed the application for Registration of **JAX FLOW-GUARD SYNTHETIC FLUID ISO 680** to the *NSF Registration Guidelines for Proprietary Substances and Nonfood Compounds (2002)*, which are available at www.nsf.org/usda. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (<http://www.nsf.org/usda>). The NSF Registration Mark can be downloaded from the NSF website, at http://www.nsf.org/mark/download_marks.html.

NSF Listing of all registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF web site, at <http://www.nsf.org/usda>. Changes in formulation or label, without the prior written consent of NSF, will void registration, and will supersede the on-line listing.

Sincerely,

A handwritten signature in black ink, appearing to read 'Carmen Grindatti'.

Carmen Grindatti
NSF Nonfood Compounds Registration and listing program